




SEE NEXT PAGE
FOR CLUTCH, IMPELLER
BB FLAIL BLADES, ETC.

A	0228043	SHREDDER HOUSING	1
B	0206089	AXLE BRACKET	1
C	0228041	CHIPPER HOUSING	1
D	0402008	AXLE	1
E	0449016	SPACER	2
F	0421020	GUARD WRAP	1
G	0228046	INLET CHUTE HOUSING	1
H	0441353	CHUTE BASE PLATE	1
I	0206095	BOTTOM BRACKET	1
J	0350006	SPRING	1
K	0353102	3/8 FLAT WASHER	3
L	0228045	OUTLET CHUTE	1
M	0228006	SHREDDER HOPPER	1
N	0206093	FOOT BRACKET	1
O	0241376	HOPPER DOOR	1
P	0241376	MOUNTING PLATE	1
Q	0338251	1/4 PUSHNUT	2
R	0338104	1/2 LOCK NUT	4
S	0338102	3/8 LOCK NUT	3
T	0346104	5/16 HEX BOLT X 1"	16
U	0338051	HOPPER TRIM	1
V	0353115	1/2 HARD FLAT WASHER	2
W	0346203	3/8 HEX BOLT X 1"	7
X	0353002	5/16 LOCK WASHER	6
Y	0346003	1/4 HEX BOLT X 1/2"	5
Z	0346102	5/16 HEX BOLT X 3/4"	10
AA	0346134	5/16-18 HEX BOLT 2 1/4"	4
BB	0338101	5/16 HEX NUT	18
CC	0354013	WHEEL BEARING	2
DD	0303006	3/4 SET COLLAR	2
EE	0311006	ENGINE 5 HP B&S	3
FF	0337011	DOOR ROD	1
GG	0445006	VACUUM COVER PLATE	1
HH	0241365	1/4 HEX NUT	1
II	0338100	CHUTE SPACER	5
JJ	0549025	5/16 HEX BOLT 1 1/4"	1
KK	0346105		1

Saisco, Inc.
LEADER BY DESIGN

105 SCHOOL HOUSE ROAD
CHESHIRE, CONNECTICUT 06410


MODEL 10007
5-8-91

clutch no longer
or parts available

Replace with water
Belt drive cut
#0361049

ITEM	PART NO.	DESCRIPTION
A	0541392	FLAIL BLADE BRACKETS
B	0205017	IMPELLER S/A
C	0405016	CHIP BLADE
D	0405014	FLAIL BLADE
E	0405015	LARGE FLAIL BLADE
F	0448024	FLAIL SHIRT
G	0310013	COLLIER PIN
H	0310011	7/8 EXTERIOR RETAINING RING
I	0311115	1/4 KEY X 1 1/2
J	0236050	DRUM S/A
K	0336047	ROTOR
L	0449017	5/16 SPACER
M	0449018	11/16 SPACER
N	0449019	3/4 SPACER
O	0449020	13/16 SPACER
P	0449021	7/8 SPACER
Q	0449022	1 SPACER
R	0449023	1 5/16 SPACER
S	0449024	1 3/4 SPACER
T	0449025	5/16-24 FLAT HD SCREW 3/4 LG
U	0449026	7/16 FLAT
V	0311013	1/2 SPLIT COLLAR
W	0541393	MIDDLE FLAIL PLATE

* CLUTCH CONSISTS OF ITEM K AND ITEM L



Salsco
LEADER BY DESIGN
105 SCHOOL HOUSE ROAD
CHESHIRE, CONNECTICUT 06410

6-11-91
5-9-91

MODEL 10007

BELT DRIVE STALLION KIT


0361049

4-14-2000

ALTERATIONS TO EXISTING MACHINE

1. GUSSET ALTERATIONS

a. CUT A NOTCH AND DRILL (2) HOLES THROUGH LEFT GUSSET PER VIEW "A".



2. ENGINE PLATE ALTERATIONS

a. DRILL (4) $\frac{9}{32}$ DIA HOLES PER DETAIL "B". LOCATE HOLE CENTERS FROM ENGINE PLATE CENTER LINE AND THE VERTICAL BEARING PLATE.

b. DRILL (2) $\frac{17}{32}$ DIA HOLES AND (2) $\frac{17}{32}$ X 1" SLOTS PER DETAIL "B". LOCATE HOLE CENTERS FROM RIGHT OUTSIDE EDGE OF ENGINE PLATE AND THE VERTICAL BEARING PLATE.

BELT DRIVE STALLION KIT

0361049

4-14-2000

(2)


ALTERATIONS TO EXISTING MACHINE (CONTINUED)

3. VERTICAL BEARING PLATE ALTERATION

A. DRILL $\frac{9}{32}$ DIA HOLE THROUGH VERTICAL BEARING PLATE PER DETAIL "C".

B. BEST METHOD - TRANSFER HOLE FROM GUARD. TEMPORARILY BOLT ON BELT GUARD. USE THE (2) HOLES ON INSIDE FACE OF GUARD AND THE (2) HOLES OF TAB LOCATED ON TOP LEFT EDGE OF VERTICAL BEARING PLATE.

THEN TRANSFER HOLE CENTER FROM THE RIGHT TOP TAB OF BELT GUARD TO THE VERTICAL BEARING PLATE.



END OF ALTERATIONS




3

4-14-2000

0361049

Front view

9 - NOT SHOWN
12 - NOT SHOWN



Handwritten note: 13 12 11 10 9 8 7 6 5 4 3 2 1

4-14-2000

Stallion Belt Drive Kit - 0361049

Motor Mounting Slide assy consisting of:

1. (2) 1 dia shafts x $18\frac{3}{4}$ "
2. (2) shaft slides x $7\frac{1}{2}$ "
3. (4) " x $2\frac{1}{2}$ "
4. (1) linkage pivot assy
5. (1) handle
6. (1) handle to motor base link
7. (2) engine spacer bars
8. (1) engine mounting plate
9. (1) belt keeper bracket
10. (1) belt guard
11. (1) belt guard mounting tab (to be welded to unit)
12. (1) handle stop



Honda or BR166S Stallion Belt Drive Kit

4-14-2000

(5)

Y PER INCHINE		0361049	PART NO.	QTY REQ
1	10" bungre. (no hooks)		08013	
3	1/2" split collars		11013	
1	1" split collar		11010	
2	600 x 1 ID ^{MB box 1} single B pulley		42033	
1	B35 V-Belt		04027	
4	1/4-20 grease fittings-90°		17001	
4	1/4-20 x 1/4 set screws		46075	
8	1/4-20 x 3/4 CB		46028	
1	1/4-20 x 5/8 Hex CS GD-5		46019	
2	1/4-20 x 1 1/4 Hex CS GD-5		46007	
6	1/4 FW USS		53125	
1	1/4 LW, split		53001	
10	1/4-20 LN		38100	
4	3/8-16 x 1 1/4 Hex CS GD-5		46204	
4	3/8-16 x 1 3/4 Hex CS GD-5		46206	
8	3/8 FW USS		53127	
4	3/8 LW, split		53003	
4	3/8-16 LN		38102	
4	1/2-13 x 1 1/2 Hex CS GD-5		46404	
6	1/2 FW USS		53129	
4	1/2-13 LN		38104	
2	1/4 SQ x 1 1/2 (CF)		31115	

PN0361049



Install Split
Collar with bent
rod #11010

Drill 2 holes for
Bungee cord provided # 08013